FIG.1 PRIOR ART




FIG.2 PRIOR ART




FIG.3 PRIOR ART





FIG.4



5/11

FIG.5








FIG.6



7/11







```
agent agent_name{
                                  /*IDENTIFIER OF AGENT ★/
int
                                  /*TYPE OF AGENT*/
        agent_type; 133
BOOL
                                  /*SERVICE LIFE OF AGENT (IN MINUTES) */
int
         agent_life;
                       _134
func() *
         agent_target_exe;
                                  /*EXECUTION FILE INVOKED BY AGENT ★/
         agent_method;
func() *
                                  /*DEFINITION OF OPERATION OF AGENT ★/
                       135
```

```
func agent_method() {
BOOL method_type; /*TYPE OF PROCEDURE*/
int* method_parameter; /*PARAMETER DESIGNATION FOR PROCEDURE*/
};
```

method_type	DESCRIPTION	method_parameter	DESCRIPTION
WWWBROWSER	WWWBROWSER WWW BROWSER	TIMER	REPETITIVE OPERATION FOR DESIGNATED PERIOD OF TIME
EMAILER	ELECTRONIC MAIL BROWSER	FILTER MAIL_R	RECEPTION OF ELECTRONIC MAIL FROM SPECIFIC ORIGINATOR

```
define agent www_agent{
int 1;
BOOL WWW;
int 4000;
func() * WWWBROWSER;
func() * TIMER 00:30:00;
};
```

```
define agent email_agent{
int 2;
BOOL MAIL;
int 8000;
func() * EMAILER;
func() * FILTER MAIL_R;
};
```